

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
14 December 2000 (14.12.2000)

PCT

(10) International Publication Number
WO 00/75894 A1

- (51) International Patent Classification⁷: **G08B 13/24**,
G01V 3/08, 15/00 [SE/MC]; Parc Saint Roman, 7, avenue Saint Roman,
MC-98000 Monaco (MC).
- (21) International Application Number: **PCT/SE00/01150**
- (22) International Filing Date: **2 June 2000 (02.06.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
9902196-6 **9 June 1999 (09.06.1999) SE**
- (71) Applicant (for all designated States except US): **RSO CORPORATION N.V. [NL/NL]; Abraham de Veerstraat 7, P.O. Box 840, Curacao (AN).**
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **TYRÉN, Carl**
- (74) Agents: **STRÖM, Tore et al.; Ström & Gulliksson AB, P.O. Box 4188, S-203 13 Malmö (SE).**
- (81) Designated States (national): **AU, BR, CN, JP, RU, US.**
- (84) Designated States (regional): **European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).**
- Published:
— With international search report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **A TAG FOR ELECTRONIC ARTICLE IDENTIFICATION, A METHOD FOR ENCODING AN IDENTITY CODE INTO SUCH A TAG, AND AN APPARATUS FOR THE IDENTIFICATION THEREOF**



(57) Abstract: A tag (30) for electronic article identification has at least two magnetic elements (31-36), which represent an identity of the tag, or of an article to which the tag is attached. The magnetic elements may be electromagnetically detected and are formed as wires made from an amorphous or nano-crystalline metal alloy. The magnetic elements (31-36) are arranged at predetermined angles (α_1 - α_6) to each other. At least one of the magnetic elements (31-36) has a length (L_1 - L_6), which is different from the length of at least one other magnetic elements (31-36) of the tag. Furthermore, at least one of the magnetic elements has a diameter (ϕ_1 - ϕ_6), which is different from the diameter of at least one other magnetic element of the tag. The lengths and diameters of the magnetic elements, and the angles between them, jointly form the identity of the tag.

WO 00/75894 A1